



Creative-Werks, LLC
Auction Date: July 11th, 2024
Lot Catalog

Lot No.	Qty	Online Auction Description
1	1	2-Door Fireproof Flammable Liquid Storage Cabinet; 43 in. wide x 18 in. deep x 65 in. high
1A	1	2-Door Fireproof Flammable Liquid Storage Cabinet; 57 in. wide x 31 in. deep x 65 in. high
2	1	2-Door Fireproof Flammable Liquid Storage Cabinet; 34 in. wide x 34 in. deep x 65 in. high
2A	1	2-Door Fireproof Flammable Liquid Storage Cabinet; 43 in. wide x 18 in. deep x 65 in. high
3	1	4-Step Rolling Safety Ladder;
4	1	Trioarc 4-Step Portable Safety Ladder; with Top Platform
5	1	Louisville 6-Step Portable Safety Ladder;
6	1	Cotterman 6-Step Portable Safety Ladder;
7	1	8-Step Metal Safety Ladder;
8	1	9-Step Metal Safety Ladder; 300 lb. Capacity
9	1	4-Step Plastic Safety Ladder; 500 lb. Capacity
10	1	4-Step Plastic Safety Ladder; 500 lb. Capacity
11	1	4-Step Plastic Safety Ladder; 500 lb. Capacity
11A	2	4-Step Plastic Safety Ladders; 500 lb. Capacity
12	1	Roll-A-Step Aluminum Safety Step; with Square Top Platform
13	1	Roll-A-Step Aluminum Safety Step; with Square Top Platform
13A	1	Wexxar Bel Model 252 Top and Bottom Case Taper, S/N; 114268; with Snap Folder, Uni-Drive (Missing Top and Bottom Tape Heads)
14	1	3M-Matic Model 20A Type 10700 Top and Bottom Case Taper; with 2 in. Tape Heads, 2 in. Bottom Carrier Belts
15	1	Bel Model 150 Top and Bottom Case Sealer; Uni-Drive (Missing Top and Bottom Tape Heads)
15A	1	3M -Matic Model 20A Type 10700 Top and Bottom Case Taper, S/N 50645, Type 10700 with 2 in. Tape Heads, 2 in. Bottom Carrier Belts
16	1	A.B. Sealer Model SD-657A Top and Bottom Case Sealer, S/N: 1021231143 (2013); with Back Flap Kicker, 2 in. Side Carrier Belts, Top and Bottom 3 in. Tape Heads, AB Sealer SD-653 Roller Discharge with Side Carrier Belts S/N: 1000829242, 110-Volt, Single Phase
17	1	Mac Automation 5 ft. long x 15 in. wide Stainless Steel Rubber Belt Conveyor;
18	1	Safety Kleen Model 34.1 Solvent Vat Parts Washer, S/N: 11010324 (Part #: 1134); 32 in. wide x 21 in. deep x 10 in. high (approx.) Tank, 120-Volt, 60-Hz, 1.4-Amp
19	1	Gorbel 150 lb. Floor Mounted Jib Crane, 8 ft. Arm, 10 ft. High, 12-Cup Vacuum Lifting Device, Becker 2.2 Kw Vacuum Pump
20	1	Gorbel 150 lb. Floor Mounted Jib Crane, 8 ft. Arm, 10 ft. High, 12-Cup Vacuum Lifting Device, Becker 2.2 Kw Vacuum Pump
20A	1	Becker 2.2 Kw Vacuum Pump
21	6	Bundles of 42 in. x 20 ft. high Upright Section Teardrop Racks; (87) approx. Total Count
22	10	Pallets of 4 in. thick x 8 ft. long Teardrop Crossmembers; (496) approx. Total Count
23	13	Pallets of 42 in. x 45 in. Wire Decking; (400) approx. Total Count
24	1	Lot - Netting
25	1	Lot - (9) 48 in. long "End of Row" Rack Guards, (68) V-Nose Post Guards, and (46) Brackets
26	1	Lot - (4) 5-Tier Plastic Shelves (Black); 69 in. high x 43 in. wide x 23 in. deep
27	1	Lot - Brut Garbage Cans; with (4) Rubbermaid Mop Buckets with Ringers, Including: Squeegees, Brushes and Mops
28	1	Selco 5-HP Model V5-HD Vertical Baler, S/N: N/A; 1,100 lb. Max. Bale Weight, 60 in. wide x 30 in. deep x 48 in. high Bale Size, 1,800 PSI Max. Pressure, 480-Volt, 3-Phase, 60-Cycle (Ref. #: 6)
29	1	Modern Manufacturing Model MSU-24-120 Pouch Maker, S/N: 6465-19; Stations for Encoder, Side Seal, Zipper Seal, Inline Cooler, Zipper Crush Station, (4) Cross Seal and (2) Cross Cool Stations, 220-Volt, 3-Phase, 60-Cycle



Creative-Werks, LLC
Auction Date: July 11th, 2024
Lot Catalog

Lot No.	Qty	Online Auction Description
30	1	ZitroPack Tub Filling Line, to Include: Container Denester, 25 ft. (approx.) long Loading Station, Cut and Seal Station, Lidder and Discharge Conveyor, with Mettler-Toledo Hi-Speed Micromate Checkweigher, Allen Bradley Panelview 1000 Touch Screen Control, 480-Volt (Not Complete)
30A	1	140 in. long x 7-1/2 in. wide Stainless Steel Conveyor; with Plastic Table-Top Chain
30B	1	Stainless Steel 90 degree 4.5 in. Plastic Table-Top Conveyor; with Stainless Steel Frame, 6 ft. Infeed to 90 degree to 8 ft. Outfeed, Stainless Steel Work Station
31	1	Hydraulic Tote Lift, S/N: 80503A (2013); Complete with Loading Cage Area, 106 in. high Lift Area, (2) 3,000 PSI Hydraulic Cylinders, 5-HP Drive
31A	1	Wiese Type P20 Bucket Elevator, S/N: 209290-3344/2013 (2013); with 38 in. long x 30 in. wide Bottom Infeed Section, 11 ft. high x 30 in. wide (approx.) Riser Section, 6 ft. long x 30 in. wide Top Discharge, 18 in. long x 6 in. wide x 4 in. deep Buckets
31B	1	Heat and Control Fastback Model CV-FB-260E-G2 TLA31145428 Vibratory Feeder, S/N: 4033; with 109 in. long x 10 in. wide x 6 in. deep (approx.) Pan, on 4-Leg Stand, 109 in. long x 21 in. wide x 56 in. high (approx.) Overall Dimensions (as it sits on Stand), 460-Volt, 3-Phase, 60-Cycle
31C	1	Ohlson Model KHV18P 18 Station Weigh Scale System, S/N: 88190506; Complete with 25 in. Diameter Top Diverter, Vibratory Feeder, (18) Drop Buckets and Scale Heads, on Heat and Control Stainless Steel Frame Measuring: 124 in. wide x 73 in. deep x 79-1/2 in. high (approx.) with 74 in. Clearance Height, 220-Volt, 3-Phase, 60-Cycle, 15-Amp
31D	1	Meyer Model HF-12 Stainless Steel Vibratory Bottom Bin Feeder, S/N: 1939; 4 ft. x 4 ft. x 20 in. Straight Side, Cone Bottom, 48 in. long x 10 in. wide x 4 in. deep Vibratory Feeding Pan, on Casters
32	1	Hyster 1,360 Kg Cap. Model W30XTC Electric Fork Lift Truck, S/N: A454No2255Z; with Charger
33	1	Camfill Farr Model GS8 Dust Collector, S/N: A74532001; 5,580 CFM, Dual Silvan Explosion Systems S/N's: 734334 & 734314 (Note: Must Cut Exhaust Pipe Below the Roof Line)
34	1	Camfill Farr Model G82- Gold Series Dust Collector, S/N: A50671001 (2013); 1,400 CFM, (2) Filters, Sliven Explosion System S/N: 813193 (Note: Must Cut Exhaust Pipe Below the Roof Line)
35	1	Portable Inline Conveyor on Stainless Steel Frame; 16 in. wide Belt with U-Channel Cleats/Buckets, 3 ft. long Bottom Section, 14 ft. high (approx.) Incline to 3 ft. (approx.) Top Discharge
36	1	Syntron 70 in. long x 14 in. wide Stainless Steel Vibratory Feeder; Mounted on 12 ft. high Stainless Steel Portable Base, Controls Mounted to Stand
37	1	Heat and Control Ishida 14-Head Model CCW-RV-214W-15/005-SS-LI Multi-Head Weigh Scale, S/N: 100423662 (2019); with (14) Buckets, 208-Volt, 3-Phase, 60-Cycle (Previously Used for Ultra-Low Target Weights at High Speeds)
38	1	110 in. wide x 8 ft. deep x 10 ft. 3 in. high Stainless Steel Heavy Duty Mezzanine; with 9 ft. 6 in. Clearance between Posts, 14-Step Stainless Steel Stairs
39	1	GEA Smartpacker Model CX2500 Vertical Form Fill and Seal Machine, S/N: 10008 (2014); All Stainless Steel Frame, with Markem Imaje Smartdate X60 Coder, 37 in. wide Film Web Feeder, Busch Vacuum Pump, 10 in. wide Horizontal Seal Bars, GEA Touch Screen Controls, 400-Volt, 3-Phase, 60-Cycle
40	1	Ishida 28-Head Model CCW-R-228WB-14/05-SS, Heat and Control Rotary Scale System (S/N: 55388) (Dec. 2010); 3 Phase / 50 Cycle / 480 Volts / 4.3 Amps (Missing Buckets)
41	1	Ishida 14-Head Model CCW-R-214W-IS/30-WP Scale System, S/N: 100003444 (2013); 380-400-415-460-480 Volts (No Buckets)
42	1	Heat and Control Ishida Model CCW-RV-2248-14/15-SS Weigh Scale System, S/N: 100471022; with (24) Stations, 460-Volt, 3-Phase, 60-Cycle (Heat and Control Model ENCL-CCW, S/N: 1093) (No Buckets)
43	1	Wexxar Model WF-20 Case Former, S/N: 4607; with Stainless Steel Frame, 69 in. long Adjustable Magazine, 33 in. long Side Carrier Discharge, Touch Screen Controls
44	1	Texwrap Model STB-1322/3 Heat Tunnel, S/N: K2021; 18 in. wide x 12 in. high Opening, 14-1/2 in. long x 15 in. wide Wire Mesh Belt, Tunnel Measures 18 in. wide x 12 in. high x 127 in. long, 440-Volt, 3-Phase, 60-Cycle



Creative-Werks, LLC
Auction Date: July 11th, 2024
Lot Catalog

Lot No.	Qty	Online Auction Description
44A	1	National Bulk Equipment Bulk Unloader (Tote Dumper) (Proj. #: E342034005-06 J36258-59); 51 in. x 51 in. x 72 in. high Bin Load Station, 1,500 lb. Max. Lift Capacity, Hydraulic Pump and Mechanisms, Nema Type 12 Controls, 460-Volt, 3-Phase, 60-Cycle
44B	1	Nortan Prisma 80 S - 2T Pleater Crimper (2-Stage Pleater Crimper to Apply a Foil Capsule on a Champagne Bottle) (2018); Speeds to 100-BPM, (2) 8-Station Turrets, 130-mm Max. Capsule Length, 40-mm Max. Capsule Diameter, 50-mm to 115-mm Bottle Diameter, 250-mm to 380-mm Bottle Height
45	1	Videojet Model 1650 UHS Ink Jet Coder, S/N: 17339002C35ZH; with Umbilical and Print Head
46	1	Markem / Imaje Model 9450 Ink Jet Coder, S/N: 151 US1714; with Print Head
47	1	Label-Aire Model 311NV-15007"16"RH4X5 Spot Pressure Sensitive Labeler, S/N: N/A; on Adjustable T-Stand, 120-Volt, Single Phase
48	1	Hapman Helix Screw Conveyor with Hopper; with 27 ft. long x 3 in. Dia. (approx.) PVC Piping with Stainless Steel Screw, Related Control Panel (Ref. #1)
49	1	Hapman Helix Screw Conveyor with Hopper; with 27 ft. long x 3 in. Dia. (approx.) PVC Piping with Stainless Steel Screw, Related Control Panel (Ref. #2)
50	1	Meyer Model HF-12 Stainless Steel Vibratory Bottom Bin Feeder, S/N: 2176; 4 ft. x 4 ft. x 20 in. Straight Side, Cone Bottom, 42 in. long x 9 in. wide x 4 in. deep Vibratory Feeding Pan, on Casters
51	1	Meyer Model HF-12 Stainless Steel Vibratory Bottom Bin Feeder, S/N: 2174; 4 ft. x 4 ft. x 20 in. Straight Side, Cone Bottom, 42 in. long x 9 in. wide x 4 in. deep Vibratory Feeding Pan, on Casters
52	1	Meyer Model HF-12 Stainless Steel Vibratory Bottom Bin Feeder, S/N: 2175; 4 ft. x 4 ft. x 20 in. Straight Side, Cone Bottom, 42 in. long x 9 in. wide x 4 in. deep Vibratory Feeding Pan, on Casters
53	1	Meyer Model HF-12 Stainless Steel Vibratory Bottom Bin Feeder, S/N: 2177; 4 ft. x 4 ft. x 20 in. Straight Side, Cone Bottom, 42 in. long x 9 in. wide x 4 in. deep Vibratory Feeding Pan, on Casters
54	1	Stainless Steel Vibratory Bottom Bin Feeder; 44 in. wide x 44 in. long x 17 in. deep Straight Side, 4 ft. long x 7-1/2 in. wide x 4 in. deep Vibratory Feeding Pan
55	1	Meyer Model HF-12 Stainless Steel Vibratory Bottom Bin Feeder, S/N: 2170; 4 ft. x 51 in. x 20 in. Straight Side, Cone Bottom, 48 in. long x 9 in. wide x 4 in. deep Vibratory Feeding Pan, on Casters
56	1	Meyer Dimpled Stainless Steel Vibratory Bottom Bin Feeder, S/N: 2163; 3 ft. long x 4 ft. Hopper with Cone Bottom, 3 ft. long x 9 in. wide x 4 in. deep Vibratory Feeding Pan, on Casters
57	1	Eriez Model HD46C Stainless Steel Vibratory Pan Feeder, S/N: 257239; 36 in. wide x 38 in. long Rectangular Cone Hopper, 42 in. long x 8 in. wide x 4 in. deep Vibratory Discharge Conveyor
58	1	Meyer Model HF-6 Vibratory Pan Feeder, S/N: 1067; 36 in. long x 41 in. wide Cone Hopper, 3 ft. long x 8 in. wide x 4 in. deep Vibratory Feeding Pan
59	1	34 in. wide x 57 in. long Stainless Steel Vibratory Pan Feeder; with 95 in. long x 16 in. wide x 5 in. deep Vibratory Pan, with Controls
60	1	Nercon 100 in. long x 12 in. wide Plastic Mesh Belt Conveyor, Rollers Above the Belt; on Stainless Steel Frame, with 98 in. long x 12 in. wide Plastic Belt, Rubber Grippers
61	1	Nercon 100 in. long x 12 in. wide Plastic Mesh Belt Conveyor, Rollers Above the Belt; on Stainless Steel Frame, with 98 in. long x 12 in. wide Plastic Belt, Rubber Grippers
62	1	6 ft. long x 12 in. wide Plastic Table Top Conveyor, with Stainless Steel Frame; (3) Table Top Belts at 4 in. Each with (2) 1/2 HP Separate Motors
63	1	15 ft. long x 19 in. wide Rubber Belt Conveyor with Aluminum Track Base; 90-Volt, Variable Speed Drive
64	1	117 in. long x 15 in. wide Stainless Steel Gravity Roller Conveyor;
65	1	6 ft. long x 3 ft. wide x 3 ft. high Stainless Steel Table;
66	1	6 ft. x 30 in. Adjustable Height Plastic Folding Table;
67	1	4 ft. x 24 in. Adjustable Height Plastic Folding Table;
68	1	Lot - (2) 72 in. long x 3 ft. wide Portable Stainless Steel Tables
69	1	Lot - (2) Metro Racks; 58 in. x 22 in. x 6 ft. high (No Contents)
70	1	Lot - (4) Brass and (1) Stainless Steel Sieve Shaker Rings Measuring 12 in. Diameter x 4 in. deep



Creative-Werks, LLC
Auction Date: July 11th, 2024
Lot Catalog

Lot No.	Qty	Online Auction Description
71	1	Lot - (2) Sections 8 ft. wide x 3-1/2 ft. deep x 8 ft. high (approx.) Medium Duty Adjustable Pallet Racking; with Related Crossmembers, Wire Decking
72	1	Lot - (21) 44 Gallon Orange Garbage Cans
72A	1	Lot - (6) 10 Gallon Orange Garbage Cans, (7) Brute Gray Garbage Cans, (11) Tote All 2000 13 in. x 22 in. x 8 in. deep Totes, (5) Dust Pans with Brooms
73	1	Lot - (98) 40 in. x 48 in. x 6 in. high Black Plastic Pallets
75	1	AAF International Model 3101251-001 LVN Size 2000 Rotoclone Wet Dust Collector, S/N: N200006; with 5-HP Toshiba Motor, 230-460 Volt, 3-Phase, 60-Cycle; Filter Cabinet with 12 in. Diameter Air Inlet; Aerodyne Fan Blower with 7.5-HP Drive; Ecomaxx Explosion Protection, VDL Valve with Diverter
76	1	AAF International Model 3101251-001 LVN Size 2000 Rotoclone Wet Dust Collector, S/N: N200005; with 5-HP Toshiba Motor 230-460 Volt, 3-Phase, 60-Cycle; Filter Cabinet with 12 in. Diameter Air Inlet; Aerodyne Fan Blower with 7.5-HP Drive; Ecomaxx Explosion Protection; VDL Valve with Diverter
77	1	AAF International Model 3101251-001 LVN Size 2000 Rotoclone Wet Dust Collector, S/N: N190010; with 5-HP Toshiba Motor, 230-460 Volt, 3-Phase, 60-Cycle; Filter Cabinet with 12 in. Diameter Air Inlet; Aerodyne Fan Blower with 7.5-HP Drive; Ecomaxx Explosion Protection; VDL Valve with Diverter
78	1	AAF International Model 3101251-001 LVN Rotoclone Wet Dust Collector, S/N: N200007; with 5-HP Toshiba Motor, 230-460 Volt, 3-Phase, 60-Cycle; Filter Cabinet
79	1	Nilfisk Model VHW310 Heavy-Duty Continuous Industrial Vacuum, S/N: 3820180400042; with Gardner Denver 2.05 kW Motor, 14 in. Diameter x 23 in. high Canister
80	1	Nilfisk Model VHW310 Heavy-Duty Continuous Industrial Vacuum, S/N: 3820180400039; with Gardner Denver 2.05 kW Motor, 14 in. Diameter x 23 in. high Canister
81	1	Nilfisk Model VHW310 Heavy-Duty Continuous Industrial Vacuum, S/N: 3820180400044; with Gardner Denver 2.05 kW Motor, 14 in. Diameter x 23 in. high Canister
82	1	Nilfisk Model VHW310 Heavy-Duty Continuous Industrial Vacuum, S/N: 3820180400040; with Gardner Denver 2.05 kW Motor, 14 in. Diameter x 23 in. high Canister
83	1	Nilfisk Model VHW310 Heavy-Duty Continuous Industrial Vacuum, S/N: 3820180400043; with Gardner Denver 2.05 kW Motor, 14 in. Diameter x 23 in. high Canister
84	1	Nordson PROBlue Model Liberty 7 Hot Melt Glue Application System, S/N: SA15F14935; with (2) Hoses, Nordson Glue Chip Bin Feeder
85	1	Nordson PROBlue Model Liberty 7 Hot Melt Glue Application System, S/N: SA15F14936; with (2) Hoses, Nordson Glue Chip Bin Feeder
86	1	Nordson PROBlue Model Liberty 7 Hot Melt Glue Application System, S/N: SA15F14934; with (2) Hoses, Nordson Glue Chip Bin Feeder
87	1	Nordson PROBlue Model Liberty 7 Hot Melt Glue Application System, S/N: SA15F14910; with (2) Hoses, Nordson Glue Chip Bin Feeder
88	1	Dorner Stainless Steel Incline Conveyor; 129 in. long x 12 in. wide with 1/2 in. Cleats on 9.25 in. Centers, Adjustable Infeed and Discharge Height, Digital Controls
89	1	Southwire Tools and Equipment Portable Clamshell Tool Cabinet; with (4) 14 in. deep Shelves
90	1	Southwire Tools and Equipment Portable Clamshell Tool Cabinet; with (4) 14 in. deep Shelves
91	1	Lot - (6) 5-Drawer Vertical File Cabinets
92	1	Lot - (4) 5-Drawer Horizontal File Cabinets
93	1	Lot - (3) 4-Drawer Vertical File Cabinets
94	1	Knack 60 in. wide x 30 in. deep x 57 in. high Model 89 Stagemaster Portable Chest (No Key)
95	1	52 in. wide x 32 in. x 68 in. high (approx.) Portable Rack (Blue)
96	1	Taylor-Dunn 36-Volt Model B2-46 Electric Scooter, S/N: 153842; with 76 in. long x 41 in. wide Cargo Platform (Electrical Issues)
97	8	Lenovo ThinkPad 14 in. Laptop Computers, Intel Core i7 V Pro Processor



Creative-Werks, LLC
Auction Date: July 11th, 2024
Lot Catalog

Lot No.	Qty	Online Auction Description
98	8	Lenovo ThinkPad 14 in. Laptop Computers, Intel Core 17 V Pro Processor
99	8	Lenovo ThinkPad 14 in. Laptop Computers, Intel Core 17 V Pro Processor
100	8	Lenovo ThinkPad 14 in. Laptop Computers, Intel Core 17 V Pro Processor
101	8	Lenovo ThinkPad 14 in. Laptop Computers, Intel Core 17 V Pro Processor
102	8	Lenovo ThinkPad 14 in. Laptop Computers, Intel Core 17 V Pro Processor
103	10	Lenovo ThinkPad 14 in. Laptop Computers, Intel Core 17 V Pro Processor
104	8	Lenovo ThinkPad 15-1/2 in. Laptop Computers, Intel Core 17 V Pro Processor
105	7	Lenovo ThinkPad 15-1/2 in. Laptop Computers, Intel Core 17 V Pro Processor
106	1	Lot - Apple 27 in. Monitor, MacBook Pro 15-1/2 in. Laptop Computer, Apple A1409 Time Capsule 2TB Wireless Router
107	1	Afinia Label L801 Color Label Printer
108	1	Afinia Label L801 Color Label Printer
109	1	Lot - (2) HP Store Virtual 4330 Storage Array, (5) HP Store Virtual 4335 Storage Array, HP ProLiant ML350P Gen 8 Rack Server with (10) 7.2K SAS 6TB Hard Drives and (2) SSD SATA 120GB Hard Drives, (2) HP ProLiant DL380 Gen9 Rack Servers, Dell Power Edge R710 Rack Server with (10) 7.2K SAS 6TB Hard Drives and (2) SSD SATA 120GB Hard Drives, (17) Rack Switches, (4) Cisco ASA5508 Firewalls, Tripp-Lite Rack
110	1	Lot - Avaya Phone System with (4) IP Office 500 V2 Control Units, (1) IP Office 500 Digital Station, (8) Avaya B179 SIP Conference Phones, (100) Avaya 9611G R54 Hand Sets
111	1	Lot - (9) Cisco Wireless Access Points & Firewalls
200	1	Resina Model U30 Inline Screw Quill Capping Machine; with Pin Dial Hopper, Cap Chute and Chute End, Set on 70-mm, (3) Sets of Quills, Dual Bottle Carrier Belts, 10 ft. long x 3.25 in. wide Conveyor (Location: Algonquin, IL)
201	1	Omega Model 4D-RP2-12 Bottle Unscrambler; with 4 ft. Diameter Bulk Bottle Hopper, Chute and Bottle Turner/Aligner (Missing (1) Clamp Station) (Location: Algonquin, IL)
202	1	Hytech Model VP62 Vertical Liquid Form Fill and Seal Machine; with Stainless Single Piston Filler Measuring 12 in. long x 4 in. Diameter, 25 in. Web Width, 16 in. long Vertical Fin Seal Bar, 12-1/2 in. long Horizontal Seal Bars, 220-Volt (Location: Algonquin, IL)
203	1	J.H. Day 35 cu. Ft. (approx.) Stainless Steel Double Ribbon Blender, S/N: 89831; 74 in. long x 29 in. wide x 35 in. deep, Inner and Outer Ribbon with Welded Pins Added, Rectangular Center Slide Gate Outlet, 240-Volt (Location: Algonquin, IL)
204	1	Sunshine 20 Liter Liquid Form Fill and Seal Stainless Cone Hopper; Bags from 30-mm to 80-mm wide x 50-mm to 120-mm long, Speeds to 80 BPM, from 2-cc to 30-cc, 220-Volt, Single Phase (Location: Algonquin, IL)
205	1	APV Model R4R Portable Pump; with Reliance Drive 2 in. Sanitary Pump Connections, 7-1/2 HP Drive, Anderson Flow Meter Controls, All Stainless Frame, 460-Volt (Location: Algonquin, IL)
206	1	Weighpack Model AEF-7 Scale Filler, S/N: 1040; 50-grams - 9-1/2 lbs., Stainless Steel Contact, 115-Volt, Single Phase (Location: Algonquin, IL)
207	1	Moduline Model SSO 03 IC Stainless Steel Pan Steamer, S/N: 1601202004E (2017) (Unused, Still in Crate); 31 in. x 31 in. x 27 in., 208-Volt, 3-Phase (Location: Algonquin, IL)
208	1	Krack Model SM26A-915-CM Evaporator; 300-PSIG Design Working Pressure, R404A Refrigerant, 460-Volt, 3-Phase (Location: Algonquin, IL)
209	1	Krack Model SM26A-915-CM Evaporator; 300-PSIG Design Working Pressure, R404A Refrigerant, 460-Volt, 3-Phase (Location: Algonquin, IL)
210	1	Little David Loveshaw Model LDR2TB Top and Bottom Case Taper, S/N: 430002LDRTB; with 2 in. Tape Heads, Top and Bottom Carrier Belts, Adjustable Height (Location: Algonquin, IL)
211	1	Videojet Excel 170i Ink Jet Coder, S/N: 010160042WD; 100-240 Volt, Single Phase (Location: Algonquin, IL)
212	1	Groen 20-Gallon Electric Kettle; 30 PSI @ 300 Deg. F., 2 in. Valve, on 1-1/2 in. Diameter Legs, 208-Volt, 3-Phase (Location: Algonquin, IL)



Creative-Werks, LLC
Auction Date: July 11th, 2024
Lot Catalog

Lot No.	Qty	Online Auction Description
213	1	Fuxion 3-Compartment Model FXSC-3 Steam Cooker; (Used for Minor Testing Only), 36 in. x 33 in. x 68 in. (approx.) Dimensions, 120-Volt, Single Phase, 60-Cycle, 1.5 Amp (Location: Algonquin, IL)
214	1	650 Gallon (approx.) Stainless Steel Holding Tank; 52 in. Diameter x 72 in. Straight Side, Slope Bottom, 1-1/2 in. diameter Outlet, 56 in. diameter x 92 in. tall Overall Dimension (Location: Algonquin, IL)
215	1	Groen 40-Gallon Cap. Model PT40 Pedestal Steam Jacketed Kettle, National Board Number: 17989; with Cover, 25 PSI @ 350 Deg. F. Maximum WP, 26 in. diameter x 22 in. deep (Location: Algonquin, IL)
216	1	Elgin Twin Piston Stainless Steel Filling Machine, S/N: 73126; with 78 in. long Dual Lug Chain Conveyor with 2 in. Centers, 24 in. diameter Stainless Steel Hopper (Pistons are Missing Cylinders) (Location: Algonquin, IL)
217	1	110-Gallon (approx.) Single Wall Stainless Steel Mix Tank; 29 in. diameter x 39 in. Straight Side, 1-1/2 in. Sani-Thread Bottom Side Outlet, Side Entering Propeller Agitator, 3/4 HP Drive, 115-Volt, on Casters (Location: Algonquin, IL)
218	1	Monarch Model 550 Wrap Around Labeler; with Conveyor 3 in. Web Roller Height, 1.25 in. x 14.5 in. Wrap Around Belt, 1.25 in. x 17.5 in. Compression Pad, 6 in. wide x 6 ft. long Table Top Conveyor Belt, 1/2 HP Speed Adjustable Conveyor Drive, 115-Volt (Location: Algonquin, IL)
219	1	Label-Aire Wrap Around Labeler; with Model 2111M Label Head, Extended Vacuum Box 4 in. x 8-1/2 in. long, Norwood Printer, 4 in. x 14 in. Wrap Belt Station on 3.25 in. x 10 ft. long Table Top Conveyor, 115-Volt (Location: Algonquin, IL)
220	1	S. Howes 4.5 Cubic Foot (approx.) Stainless Steel Double Ribbon Blender; with 27 in. x 15.75 in. x 21 in. deep Stainless Steel Trough, 3/16 in. x 1/2 in. Inner and Outer Ribbons, 5/8 in. diameter Posts Holding Ribbons, 4 in. Flush Mount Plug Discharge Valve, Manually Operated, Stainless Steel Hinged Cover with Safety Switch and Top Port, Compression Shaft Seals, 1.5 HP Main Drive, 1,800 RPM, Powerflex 70 AC Inverter Motor Speed Control, Ribbon Speeds from 15 to 88 RPM 460-Volt, 3-Phase (Location: Algonquin, IL)
221	1	Total Packs Model WF-150S Semi-Automatic Liquid Weigh Scale Filler; with 1-1/2 in. Sanitary Inlet, 7/8 in. Product Discharge, 1 - 50 KG, 316 Stainless Contact, 220-Volt (Location: Algonquin, IL)
222	1	CTM Model Custom Pressure Sensitive Labeler; Left to Right, 2.25 in. x 10 ft. long Conveyor, Top Hold Down Belt, Model 2600 Zebra Printer Applicator, 120-Volt (Location: Algonquin, IL)
223	1	Goulds 30-HP Model 3196 Centrifugal Pump; 250 PSI Max. Working Pressure, Inlet 7.5 in. diameter Flange, 3 in. Opening, Discharge 6 in. diameter Flange, 2 in. Opening, Westinghouse 30-HP Motor, 575-Volt, 3-Phase, 22.6 Amps, 3,545 RPM, Motor Rated for Hazardous Locations, Overall Dimensions of: 55 in. x 21 in. x 23 in. (Location: Algonquin, IL)
224	1	Osmonics Model E4H-16-ECN Reverse Osmosis System; with (3) Stainless Tubes, Stainless Pump, Dual Filters, Permeate Rate @ 77 Deg. F, 11.3 GPM, Concentrate Rate 3.75 GPM, Minimum and Maximum Inlet Pressure 30/60 PSI (Location: DeKalb, MS)
225	1	Bibus Hydraulik AG Hydraulic Pump, attached to VEM Motors, 230-460 Volt Motor, 3-Phase, 60-Cycle, Mounted in Stainless Cabinet, Complete with Rubber Tubing and Directional Valves (Location: Algonquin, IL)
226	1	Portable Locking Ladder; 36 in. Square Top Platform with 28 in. High Guards, Platform is 51 in. high, (4) 36 in. wide x 7 in. deep Stairs, on Casters (Location: Algonquin, IL)
227	1	65 in. long x 12 in. wide Incline Conveyor on Stainless Steel Frame; 65 in. long x 12 in. wide Plastic Mesh Belting, 30 in. Infeed Height, 66 in. Discharge Height, on Casters (Location: Algonquin, IL)
228	1	3M Top and Bottom Case Taper; 2 in. Top and Bottom Tape Heads, 2 in. wide Bottom Carrier Belts, Manual Side Rail Adjustments (Location: Algonquin, IL)
300	1	Pharmaveyor Model 6941 Conveyor, S/N: 0053 (1999); with Sanitary Raised Bed, Kalish Packaging Systems 16 ft. long x 4-1/2 in. wide Model 6941 Stainless-Steel Belting S/N: 053; 3/4 HP Motor with Vari-Speed Controller, 120-Volt, 1-Ph, 60-Hz, 8-Amp (Ref. #: 13821)
301	1	Nordson PROBlue 4 Glue Applicators with Dispersing Head, S/N: SA04E09491; A/C 200-240-Volt, 50-60 Hz, 26-Amp (Ref. #: 13820) (Unit 1)



Creative-Werks, LLC
Auction Date: July 11th, 2024
Lot Catalog

Lot No.	Qty	Online Auction Description
301A	1	Nordson PROBlue 4 Glue Applicators with Dispersing Head, S/N: N/A; A/C 200-240-Volt, 50-60 Hz, 26-Amp (Ref. #: 13820(2)) (Unit 2)
302	1	Creative Automation Model 401 Leaflet Outserter, S/N: 06041; with PLC Based Controls (Ref. #: 13819)
303	1	Feldmeier 100-Gallon Cap. (approx.) Stainless Steel Dimple Jacketed High Pressure Portable Holding Kettle, S/N: 12431-1 (National Board: 455) (1994); Rated at 90 PSI @ 300 degrees F, with 45 PSI FV MAWP, Bottom Discharge (Ref. #: 13561)
304	1	Patterson Kelley Stainless Steel V-Blender; Provisions for a Pin Bar but No Bar Included, All Stainless Steel Mounted on Stand, Start Stop Controls. 3/4 HP Blender Motor, 208/220/440 Volt, 3-Phase, 50-60 Hz (Ref. 13556)
305	1	Axon Styrotech Model EZ 30-IR Heat Tunnel, S/N: R-033136 (2004); All Stainless Steel Construction Mounts Over Conveyor, with Tunnel Dimensions of: 3 in. w x 6 in. h x 30 in. long, 220-Volt, 60-Hz, 24-Amps (Ref. #: 13718)
306	1	Hytrol Portable Continuous Rubber Belt Conveyor; with Steel Frame, Stainless Transfer Plate, Reliance MD 60 A-C Drive Speed Controller, 1/2 H.P. 1,725 RPM Motor, Unit Dimensions: 11 ft. long x 8 in. wide Belt, 120-Volt, 60-Hz, 8-Amp (Ref. #: 13713)
307	1	Lot - (18) Stainless Steel Portable Racks; with (35) Shelves per Rack, with 24 in. long x 18 in. wide Aluminum Trays, Racks are 72 in. high x 30 in. long x 24 in. wide (approx.) (Ref. #: 13664)
308	1	Kaps-All Model C Capper, S/N: 4620; Stainless Steel Contact, Centrifugal Cap Feeding Bowl, Double Gripper Belts, with 7 ft. Vari-Speed Conveyor, 208/220-Volt, 3-Ph, 50-60 Hz (Ref. #: 13830)
309	1	Hoppmann Corporation Model FR30 Product Feeder, S/N: 28909 (1996); (Ref. #: 13831)
400	1	2017 Tecnomaco BA100 Automatic Horizontal Cartoner, S/N: 17077; All Stainless Steel 4 in. Centers 5 in. Wide Stainless Steel Product Reciprocating Arm, 3 in. x 5 ft. Aluminum Frame Belt Conveyor (Location: DeKalb, MS)
401	1	Kalix Model KX-80 Stainless Steel 12 Station Automatic Tube Filler, S/N: 7064; with Tube Feeder Currently Set to Run 35-mm Tubes Stainless Steel Product Feed Hopper (Location: DeKalb, MS)
402	1	Tecnomaco Italia AV Vertical Tuck Cartoner, S/N: 1918; 3.5 in. Center Distance 48 in. long Loading Area for Manual Load (Location: DeKalb, MS)
403	1	24 in. Vibratory Bowl Caps Feeder (Location: DeKalb, MS)
404	1	Stainless Steel Fill Tank with 6-Botton Discharge (Location: DeKalb, MS)
405	1	2011 Tecnomaco FC1 Filler/Capper Combination, S/N: 1100; with Rotary Star Wheel Infeed Single Station Fill Station with 1 in. Diameter Nozzle Cap Tightener with 2.5 in. Diameter Discharge Conveyor with Change Parts (Location: DeKalb, MS)
406	1	Automatic Cap Feeder with Bulk Hopper (Location: DeKalb, MS)
407	1	2011 Tecnomaco AV Vertical Tuck Cartoner, S/N: 1102; with 3.5 in. Center Distance Between Lugs, 48 in. long Loading Area, 32 in. long Discharge Conveyor (Location: DeKalb, MS)
408	1	Lot - (2) Transformers (Location: DeKalb, MS)
409	1	Lot - 3-Sections of Stainless Steel Frame 2-1/2 in. wide Conveyor, 13 ft. Total Length (Location: DeKalb, MS)
410	1	2011 Tecnomaco PFE1200 Cap Hopper Elevator, S/N: 1153; 12 in. x 48 in. Flighted Conveyor (Location: DeKalb, MS)
411	1	316L Stainless Steel Plate Heat Exchanger, Model BRO12, S/N: 1881234; (Location: DeKalb, MS)
412	1	Lot - Control Panel and Transformer; (Location: DeKalb, MS)
413	1	1.1 Kw Stainless Steel Pump on Stainless Steel Base; (Location: DeKalb, MS)
414	1	Volpak Model S-90, Complete with Hibar Model HBD28 Single Piston Filler, Stainless Steel Feed Hopper for Liquids, 4-3/4 in. Side Seal Bars x 4 in. Top Horizontal Seal Bars and 4 in. Bottom Seal Bars - Adjustable Height, 9-3/4 in. Web Width with 6-1/4 in. Core Width (Location: DeKalb, MS)
415	1	Sandpiper 2 in. Inlet Tri-Clamp Diaphragm Pump, S/N: 527113; (Location: DeKalb, MS)
416	1	2018 NYP52BW-2W-CJ 1.5 Kw Pump; (Location: DeKalb, MS)



Creative-Werks, LLC
Auction Date: July 11th, 2024
Lot Catalog

Lot No.	Qty	Online Auction Description
417	1	Stainless Steel Control Panel; (Location: DeKalb, MS)
418	1	2019 Zhangjiagang Golden Machinery SP-5 Automatic Bundler, S/N: 20180424; Size in mm 4500 x 900 x 2000mm, 700 KG Speeds from 3-10 Packages per minute, 3 Phase / 60 Cycle / 460 Volts / 22KW with 2-Zone Shrink Heat Tunnel (Location: DeKalb, MS)
419	1	Weldotron 7121 15 in. Wide x 8 in. High x 46 in. Long Shrink Tunnel; (Location: DeKalb, MS)
420	1	Sartorius 64 Kg Digital Platform Scale; (Location: DeKalb, MS)